

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Toshiba	Logo
Company name *	Toshiba Tec Corporation	TOSHIBA
Contact information * e-mail address	Name: Dierk Ulken e-mail: dierk.ulken@toshibatec-tgis.com	C:STUDIO3025AC
Internet site *	www.toshibatec.eu	
Additional information		

## The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	MFP
Commercial name *	e-STUDIO3025AC
Modelnumber*	FC-3025AC
Issue date *	05-2022
Intended market *	🗌 Global 🛛 Europe 🖾 Asia, Pacific & Japan 🖾 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	e-STUDIO3025AC/FC-3025AC	Logo	
Issue date *	05-2022		

5

	t environmental attributes - Legal requirements	Require		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated			
F1.4	terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$		
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>2</sup> /week	X		
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	X		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	$\boxtimes$		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	$\boxtimes$		
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; 🛛 🛛 given in item P15 or added to this document,			
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			$\boxtimes$
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
D <i>E</i>	(see legal reference).			
<b>P5</b> P5.1*	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
1 0.1	hexavalent chromium by weight of these together.	$\bowtie$		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
· •·-	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
-	Protocol (see legal reference).	لالكا		<u> </u>
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

1	Model number *	e-STUDIO3025AC/FC-3025AC	Logo	
	Issue date *	05-2022		

	Environmental conscious design		irement	
tem <b>27</b>	*=mandatory to fill in. Additional information regarding each item may be found under P14. <b>Design</b>	Yes	No n.	.a.
- 1	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u> </u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	- H
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	<u> </u>
-	· · · · ·		<u> </u>	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives			
			<u> </u>	<u> </u>
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type:PC+ABSMaterial type:PS-HIMaterial type:Material type:ABSMaterial type:PC			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	- #		- #
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			<u> </u>
17.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🔲 are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
	Marking: >PC+ABS-FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: <i>Phosphate</i> , CAS #:			
	IBBPA (additive) [], IBBPA (reactive) [] (See NOTE B3), Other; chemical name: <i>Phosphate</i> , CAS #: 181028-79-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:	$\boxtimes$		
	1. Chemical name: <i>Phosphate</i> , CAS #: <i>181028-79-5</i> (See NOTE B4) 2. Chemical name: <i>Resorcinol bis bis</i> , CAS #: <i>139189-30-3</i> "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	e-STUDIO3025AC/FC-3025AC	Logo	
Issue date *	05-2022		

	environmental attr	ibutes - Market red	quirements (conti	nued)	F	Require		met
Item						Yes	No	n.a
		ance requirements (o						
P7.20*	Postconsumer recyc	led plastic material co	ntent is used in the p	roduct (See NOTE B6	):			
		of the two alternatives						
		Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated a percentage of total plastic by weight) is <b>8.5%</b> .						
	or	otarplastic by weight)						
	b) The weight of re	ecycled material is						
P7.21*	Biobased plastic ma	terial content is used i	in the product (See N	OTE B7):			$\boxtimes$	
		of the two alternatives						
	a) Of total plastic total plastic by		he biobased plastic r	naterial content (calcu	lated as a percentage of			
		ne biobased plastic m						
P7.22*		e from mercury, i.e. le becify: Number of lamp		um mercury content p	erlamp: mg	$\mathbf{X}$		
P8	Batteries							
P8.1*	Battery chemical cor	nposition: <i>LiMnO2</i>						
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the f	ollowing power levels	or energy consumpti	ons are reported:				
Energymo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at <b>230</b> V AC	Reference/Standard modes and test metho		energy	
STAR® O	le for ENERGY perational Mode	W	W	W				
(OM) prod	ucts ff mode for	W	W	W				
ENERGY S Mode (OM	STAR Operational							
TEC value	for ENERGY STAR	kWh/week	kWh/week	0.32 kWh/week				
TEC produ Energy Co	ucts (TEC= Typical onsumption)							_
Maximuu	m Power	W	W	1047.5 W				
Cont. ope	ration mono/col	W	W	387.2/455.9W				
Ready Po	wer	W	W	<b>36.0</b> W				
Low Power		W	W	<b>34.9</b> W				
Sleep mode		W	W	0.394 W				
	Plug in off Power W W 0.115 W							
	ower Supply Efficienc	y Level (International	Efficiency Marking Pr	otocol) *:				$\boxtimes$
Print/Scan		30 images per minute						
Default tim	e to enter energy sav	e mode: <b>1</b> minutes						
P9.2*	Information about th	e energy save functio	n is provided with the	product		$\boxtimes$		

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

Model number *	e-STUDIO3025AC/FC-3025AC	Logo	
Issue date *	05-2022		STUDIO3025AC

	environmental	attributes	- Market requirements	contii	nued)		Require	ement	me
tem							Yes	No	n.a
P10	Emissions								
	Noise emission		according to ISO 9296 (Se						
P10.1	Mode	Mode des	cription		atistical upper lin <sub>/A,c</sub> (B)	nit A-weighted sound power	level,		
	Idle	* Ready		* 5	50.3				
	Operation	* Print		* 6	65.8( <mark>B/W),66.0</mark> (	Color)			
	Othermode								
	Measured acco	rding to: 🔀	ISO 7779 🗌 ECMA-74 🔀 Othe <b>r</b>	(only	y if not covered b	N = CM(4-74)			
	Chemical emis	sions from	printing products (See NO			5y E CINA-74)			_
P10.2*			ECMA-328 Determination			ates from Electronic			-
10.2			$\Box$ , other specify: <i>RAL-U</i>						
P10.3			tion phase) is (mg/h):	2215					
10.0	rypiourernission								
	Electrophotogra Colour mode:			ene <0.1	1 <i>0 (LOD)</i> Benz	ene <0.02 (LOD) TVOC 0.7	'3		
	NOTE: compliar	nce with max	imum emission rates in eco	o labels t	o be declared in	P14.			
P11	Consumable m	aterials for	printing products						
P11.1*	A Safety Data S	heet (SDS)	is available for the ink/tone	erprepara	ation, even if not	legally required (see P4.3).	$\boxtimes$		
P11.2*	Paper containin EN 12281.	g post-cons	umer recycled fibers can be	e used, p	rovided that it m	eets the requirements of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				$\boxtimes$				
P11.4*	The product is delivered to end-user with default auto-duplex enabled.					X			
P13	Packaging and	documenta	ation						
P13.1*	Product packag Product packag Product packag	ing material ing material ing material	type(s): Cardboard type(s): EPS/EPE type(s): Plastics type(s): Wood(Palette) aging is free from PVC.	we we	eight (kg): <b>8.064</b> eight (kg): <b>0.549</b> eight (kg): <b>0.448</b> eight (kg): <b>5.225</b>				
P13.3*			ted fiberboard packaging,	en o cify th	a contained por	contago of minimum post			+
F 13.3	consumer recov			specity ti	le containeu per	centage of minimum post-			L
P13.4*			product documentation (tick	k box):					
	Electronic 🔀 , F			,					
P13.5	(Please only cor	mplete this it	em if paper documentation	n used)					
	User and produ If Yes, please sp	ct documen becify:	ation on paper media is chl	lorine-fre	e:				
	Totally chlorine-	free							
	Elemental chlor								
	Processed chlo								
P14	Voluntary prog								
P14.1			irements of the following vo	oluntary p	program(s):				
	ENERGY STAR	®	Criteria version: 3.0	D	ate: <i>May.2022</i>	Product category: MFD			
	Eco-label: Blue	Angel	Criteria version: DE-UZ2		ate:	Product category:			
	Eco-label: Nord	lic Śwan	Criteria version: 015, V6	D	ate:	Product category:			
			- Market requirements	(concl	uded)		Require	ement	m
P15	Additional info								
	and/or printing	in a Toshik		ces are r	not intended for	any other application than	n image ca	apturiı	ıg
P3.2									

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	