

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Toshiba	Logo
Company name *	Toshiba Tec Corporation	
Contact information *	Name: Dierk Ulken	
e-mail address	e-mail: dierk.ulken@toshibatec-tgis.com	
Internet site *	www.toshibatec.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	e-STUDIO330AC				
Model number *	FC-330AC				
Issue date *	2020-09-17				
Intended market *	🗌 Global 🔀 Europe 🔀 Asia, Pacific & Japan 🔀 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	e-STUDIO330AC / FC-330AC	Logo	_
Issue date *	2020-09-17		C-STUDIO330AC

	oduct environmental attributes - Legal requirements				
tem		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\bowtie			
P1.2*	Products do not contain Asbestos (see legal reference).	\square			
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square			
1 1.4	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	* 🖂			
-	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	\square			
	(see legal reference).	_		_	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\bowtie			
	https://www.toshibatec.eu/about/sustainabilty/compliance/reach/				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\bowtie			
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				
ΓΖ.Ζ	reference)	\bowtie			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).				
	The Declaration of Conformity can be requested at (add link or e-mail address):				
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	\mathbf{X}			
	(see legal reference).				
	Required information is; Zigiven in item P15 or added to this document,				
	available at (add URL):				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square			
	than 0,01% (see legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\bowtie			
P4.3*	legal reference)				
P4.3	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to			\bowtie	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available				
	(see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes			
	hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
	used (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\bowtie			
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
. 0. 1					

Model number *	e-STUDIO330AC / FC-330AC	Logo	
Issue date *	2020-09-17		C-STUDIO330AC

Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes]	
P7.2*	Plastic materials in covers/housing have no surface coating.	\square]	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes]	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes]	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).]	
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes]	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes]	
P7.9	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: ABS				
P7.12	Insulation materials of external electrical cables are PVC free.		\ge]	
P7.13	Insulation materials of internal electrical cables are PVC free.		\mathbf{X}]	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\geq]	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-FR(40)<	\square]	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: <i>Phosphate</i> , CAS #: 181028-79-5	\boxtimes]	
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:]	
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: Phosphoric, CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "]	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:]	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)]	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	e-STUDIO330AC / FC-330AC	Logo	
Issue date *	2020-09-17		

FIOUUCI	environmentai atti	ibutes - Market red	fuirements (conti	nueuj		Cquir	ement	met
Item						Yes	No	n.a
		ance requirements (c	,					
P7.20*	If YES; at least one a) Of total plastic percentage of to or	of the two alternatives	below shall be answ ne postconsumer recy is 12,4% .): ontent (calculated as a			
P7.21*	If YES; at least one of a) Of total plastic total plastic by or		below shall be answe he biobased plastic r	ered;	lated as a percentage of			
P7.22*		ee from mercury, i.e. le becify: Number of lamp		um mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemical cor	•						
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the f	ollowing power levels	or energy consumption	ons are reported:				
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test metho		energy	
	de for ENERGY operational Mode	W	W	W				
Standby/c ENERGY	off mode for STAR Operational /) products	W	W	W				
TEC prod	e for ENERGY STAR ucts (TEC= Typical onsumption)	kWh/week	kWh/week	0,38 kWh/week	ENERGY STAR V3.0			
Maximun	n Power	W	W	1170 W				
Cont.ope	ration, print	W	W	447 W				
Ready Po	ower	W	W	63,5 W				
Low Pow	<i>er</i>	W	W	40,1 W				
Sleep mo		W	W	0,44 W				
Plug in off Power W W 0,18 W		0,18 W						
External F	Power Supply Efficienc	y Level (International I	Efficiency Marking Pro	otocol) * :				\square
Print/Scar minute	n Speed * : I	Print; 33, Scan; singl	e-side 58 & double-	side 116 images per	B/W			
Default tin	ne to enter energy save	e mode: 1 minutes						
P9.2*		e energy save functior				\square		_=

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	e-STUDIO330AC / FC-330AC	Logo	_
Issue date *	2020-09-17		

FIGUUE	t environmental att	ributes - Market requirements (co	Shtinued)		Require	ment	: me
tem					Yes	No	n.a
P10	Emissions						
		Declared according to ISO 9296 (See N					
P10.1	Mode N	lode description	Statistical upper lin L _{WA,c} (B)	nit A-weighted sound power le	vel,		
	Idle *	Ready	* 4,47				
	Operation *	Print	* 6,88 (B/W), 6,87	(Color)			
	Other mode						
	Measured accordin	•	Z 205 (only if not cove	red by FCMA-74)			
	Chemical emission	ns from printing products (See NOTE					
P10.2*	Test performed acc	ording to ECMA-328 Determination of C	Chemical Emission Ra	tes from Electronic			
		C 28360) , other specify: <i>DE-UZ 205</i>					
P10.3	I ypical emission ra Electrophotographic	te (operation phase) is (mg/h):					L
	Ozone <lod(0,41)< td=""><td></td><td>nzene <!-- <u-->() () () T</td><td>VOC 0 59</td><td></td><td></td><td></td></lod(0,41)<>		nzene <u () () () T	VOC 0 59			
	Ink devices:						
	Dust Styre	ene Benzene TVOC					
		with maximum emission rates in eco lab	pels to be declared in	P14.			
11		rials for printing products					
11.1*	A Safety Data Shee	et (SDS) is available for the ink/toner pre	eparation, even if not	egally required (see P4.3).	\square		[
11.2*	Paper containing po EN 12281.	ost-consumer recycled fibers can be use	ed, provided that it me	eets the requirements of	\boxtimes		[
11.3*		nting/copying is an integrated product fu	unction.		\square		Т
°11.4*	The product is delivered to end-user with default auto-duplex enabled.					Ť	
13	Packaging and do	cumentation					
P13.1*	Product packaging Product packaging Product packaging	material type(s): <i>Cardboard/Paper</i> material type(s): <i>EPS/EPE</i> material type(s): <i>Plastics</i> material type(s): <i>Wood (Palette)</i>	weight (kg): 5,402 weight (kg): 0,635 weight (kg): 0,703 weight (kg): 5,000				
13.2*		ary packaging is free from PVC.			\square		
°13.3*	For product primary consumer recovere	corrugated fiberboard packaging, spec d fiber content: 80 %	ify the contained perc	entage of minimum post-			
°13.4*	Specify media for u Electronic 🔀, Pap	ser and product documentation (tick box	x):				[
13.5		ete this item if paper documentation use	ed)				
		ocumentation on paper media is chlorin			\boxtimes		
	Totally chlorine-free						
	Elemental chlorine-	free					
	Processed chlorine						
14	Voluntary progran	าร:					
14.1		the requirements of the following volunt	ary program(s):				
	ENERGY STAR® Eco-label: <i>Blue An</i> Eco-label: <i>Nordic</i> S		Date: <i>Mar.2020</i> Date: <i>Sep.2020</i> Date: <i>Dec.2020</i>	Product category: <i>MFD</i> Product category: <i>Printers</i> Product category: <i>Imaging</i>	& MFD	ent	
Product		ributes - Market requirements (co			Require		m
15		ntion (See NOTE B11)					
							-

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm.}$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	