



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Toshiba	Logo
Company name *	Toshiba TEC Corporation	TOSHIBA
Contact information *	Name: Dierk Ulken	IOOIIIDA
e-mail address	e-mail: dierk.ulken@toshibatec-tgis.com	
	_	©:stubio478s
Internet site *	www.toshibatec.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFP			
Commercial name *	e-STUDIO478S			
Model number *	DP-4780S			
Issue date *	RevA; 23.10.2019			
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	e-STUDIO478S / DP-4780S	Logo	470
Issue date *	RevA; 23.10.2019		€·STUDIO478s

Product	duct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
54.00	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes				
5	terphenyl (PCT) in preparations (see legal reference).		_			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀	Ш			
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	. 🔽	$\overline{}$			
F 1.0	(see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X				
	https://www.toshibatec.eu/about/sustainabilty/compliance/reach/					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes				
	symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	ı 🖂				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square	\Box			
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
1 0.1	The Declaration of Conformity can be requested at (add link or e-mail address):		ш			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\overline{\mathbb{X}}$				
	(see legal reference).		_	_		
	Required information is; given in item P15 or added to this document,					
	available at (add URL):					
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	\boxtimes				
P4.2*	legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).		$\overline{}$			
		<u> </u>	井			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to			\boxtimes		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
	(see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and					
DE O*	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀				
	Protocol (see legal reference).					
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	e-STUDIO478S / DP-4780S	Logo	470
Issue date *	RevA; 23.10.2019		€:STUDIO478s

Product environmental attributes - Market requirements (See General NOTE GN below)						
	- Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No r	ı.a.		
P7	Design					
D7.4*	Disassembly, recycling Date that how to be treated constable as a saily accorded.					
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	Щ		
P7.2*	Plastic materials in covers/housing have no surface coating.		Ц_			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools					
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS Material type: ABS+PC Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	, <u> </u>				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
P7.18	according ISO 1043-4: <i>FR16</i> <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
17.10	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR40, FR30+40					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\square				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 29,7%. (Per IEEE 1680.2 PCR calculation). or b) The weight of recycled material is 2.990 g.	_				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	e-STUDIO478S / DP-4780S			Logo	4.70	
Issue date	÷ *	RevA; 23.	23.10.2019				€:STUDIO478s
Product	environm	nental att	ributes - Market red	quirements (con	tinued)		Requirement met
Item				-	-		Yes No n.a.
			ance requirements (c				
P7.21*	Biobased	l plastic ma	aterial content is used i	n the product (See	NOTE B7):		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 						
P7.22*	Light sou	rces are fro	ee from mercury, i.e. le pecify: Number of lamp	ess than 0,1 mg/lam	p. mum mercury content pe	er lamp:	mg
P8	Batteries		p				··· ·
P8.1*			mposition: LiMnO2				
P9	Energy of	onsumpti	on (See NOTE B8)				
P9.1			following power levels	or energy consump	tions are reported:		
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and t	0,
Sleep mod			W	W	W		
STAR® Op (OM) produ		Mode					
Standby/of			W	W	W		
ENERGY S Mode (OM) products						
TEC value		GY STAR	kWh/week	kWh/week	1,819 kWh/week	ENERGY ST	TAR for IE V2.0
TEC produ	ICIS				0,71 kWh/week	ENERGY ST	TAR for IE V3.0
(TEC= Typ		у					
Maximuur	m Power		W	W	1190 W		
cont. oper	ration, prii	nt	W	W	590 W		
Ready Po	wer		W	W	15,68 W		
Low Powe	er		W	W	2,28 W		
Sleep mod	de		W	W	0,1 W		
Plug in of	f Power		W	W	0,1 W		
External Po	ower Supp	ly Efficienc	y Level (International I	Efficiency Marking F	Protocol) *:		
Print/Scan	Speed *	:	47 images per minute				
Default tim	Default time to enter energy save mode: 1 minutes						
P9.2*	9.2* Information about the energy save function is provided with the product.						
P10							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1	Mode	M	ode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)		power level,
	Idle	*	Ready * 3,08				
	Operation		Print	•	* 6,95	<u>-</u>	
	Other mode						
	Measured according to: ISO 7779 ECMA-74 Other DE-UZ 205 (only if not covered by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	e-STUDIO478S / DP-4780S	Logo	470
Issue date *	RevA; 23.10.2019		€-STUDIO478s

Product	oduct environmental attributes - Market requirements (continued) Requirement met						
Item	to off the control of					No	n.a.
	Chemical emissions from t	printing products (See NOTE I	310)				
P10.2*	Test performed according to	ECMA-328 Determination of Ch., other specify: <i>DE-UZ 205</i>	nemical Emission Ra	tes from Electronic			
P10.3	Typical emission rate (operate						
1 10.0	,,	. , , , ,					ш
	Electrophotographic devices						
		,18 Styrene 0,110 Benzene <0		0,805			
	Ink devices: Dust Styrene Benzene TVOC						
	Note: compliance with maxim	num emission rates in eco labels	s to be declared in P	14.			
P11	Consumable materials for						
P11.1*	A Safety Data Sheet (SDS) is	s available for the ink/toner prep	aration, even if not le	egally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-const EN 12281.	umer recycled fibers can be u	sed, provided that i	t meets the requirements of			
P11.3*	2-sided (duplex) printing/cop	ying is an integrated product fur	nction.		\boxtimes		
P11.4*	The product is delivered to e	nd-user with default auto-duplex	cenabled.			\boxtimes	
P13	Packaging and documenta	tion					
P13.1*	Product packaging material t Product packaging material t Product packaging material t	ype(s): <i>Plastics</i>	weight (kg): 3,290 weight (kg): 0,172 weight (kg): 0,665				
P13.2*	Product plastic primary pack		neight (ng): cjocc		\boxtimes		\Box
P13.3*	For product primary corruga consumer recovered fiber co	ated fiberboard packaging, spentent: Recycled content >		ercentage of minimum post-			
P13.4*	Specify media for user and product documentation (tick box):						
P13.5	(Please only complete this ite User and product documenta If Yes, please specify:	em if paper documentation used ation on paper media is chlorine	l) -free:		\boxtimes		
	Totally chlorine-free						
	Elemental chlorine-free				Ä		
	Processed chlorine-free				H		
P14	Voluntary programs:						
P14.1		rements of the following voluntar	ry program(s):				
	ENERGY STAR®	Criteria version: 2.0	Date: Oct. 2014	Product category: Imaging I	Equipm	ont	
	ENERGY STAR®	Criteria version: 3.0	Date: Oct. 2019	Product category: <i>Imaging I</i>			
	Eco-label: Blue Angel	Criteria version: DE-UZ 205	Date: <i>Jan.</i> 2017	Product category: Office Eq			
	Eco-label: Nordic Swan	Criteria version: 6.5	Date: Dec. 2017	printing function Product category: Imaging I	Equipm	ont	
P15	Additional information (Sec		Date. Dec. 2011	i roduct category. Imaging i	-чирт	J110	
P3.2	Compliant with Voluntary						
	<u> </u>						-

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1